

INSTRUKCJA



OSTRZEŻENIE

Ze względów bezpieczeństwa, nie należy wykonywać agresywnych wsadów ani wisieć na obręczy, może to doprowadzić do zniszczenia produktu i uszczerbku na zdrowiu użytkownika!

Przed montażem i użytkowaniem produktu należy dokładnie zapoznać się z poniższą instrukcją.

Przed montażem należy upewnić się, że opakowanie zawiera wszystkie niezbędne elementy.



Montaż powinien zostać wykonany przez 2 dorosłe osoby.

OSTRZEŻENIE


Produkt oraz jego opakowanie nie są zabawkami i zawierają małe elementy, trzymać z daleka od dzieci, istnieje ryzyko uduszenia lub niebezpiecznego wypadku.

Parts catalog


	Nazwa	Ilość	Funkcja
A	Śruba dociskowa	1	Łączy rurę (W) z rurą (Y)
B1,B2,B3	Śruby M6 x35 MM	4	Łączy obręcz (1), tablicę (K) oraz rurę (W)
C1,C2,C3	Śruby M8 x20 MM	2	Łączą rurki (L1) (L2) w podstawą (S)
D1,D2,D3	Śruby M8 x55 MM	3	Łączą rurę (Y) z rurą (X), oraz rurę (X) z rurą (W)
E1,E2,E3	Śruby M8 x60 MM	1	Łączą rurę (Y) z rurkami (L1) (L2)
G	Kółko	2	
H	Korek do podstawy	1	
I	Obręcz	1	
J	Siatka	1	
K	Tablica	1	
L1	Rurka	1	
L2	Rurka	1	
M	Oś do kółek	1	
N	Zatyczka do rury	1	
W	Górna rura	1	
X	Środkowa rura	1	
Y	Dolna rura	1	
S	Podstawa	1	
O	Klucz imbusowy	1	
P	Klucz	2	



K




I




J




L1




L2



M




W



X



Y



N




G





H





S







Przełóż oś (M) przez kółka (G) podstawę (S) i rurę (Y), tak jak pokazano na obrazku.









Użyj zestawu śrub (E) aby połączyć rurki (L1)(L2) z rurą (Y), tak jak pokazano na ilustracji.



Użyj zestawu śrub (C) Aby połączyć rurki (L1)(L2) z podstawą (S), tak jak pokazano na obrazku.



K


Użyj zestawu śrub i nakrętek (B) do połączenia obręczy (I), tablicy (K) oraz rury (W), tak jak pokazano na rysunku. Nałóż zatyczkę (N) na szczyt rury (W) aby zapobiec dostawianiu się wody do środka.



Zamontuj rurę (W) na rurze (X), dostosuj wysokość i użyj zestawu śrub (D) aby połączyć rury, a następnie użyj śruby dociskowej (A) by ustabilizować konstrukcję.
Aby zmienić wysokość kosza należy odkręcić śrubę dociskową i śrubę (D).

Zamontuj siatkę (J) na dolnej części obręczy (I),
tak jak pokazano na ilustracji





Napełnij podstawę (S) wodą lub drobnym piaskiem, aby obciążyć konstrukcję.

Kosza nie należy używać do agresywnych wsadów, nie należy wisieć na obręczy. Nie należy wspinać się na kosz. Dzieci znajdujące się w pobliżu kosza powinny być pod kontrolą osoby dorosłej.

Kosz powinien być używany wyłącznie po uprzednim obciążeniu podstawy wodą lub piaskiem. Produkt do użytku zewnętrznego. Aby wydłużyć żywotność produktu, gdy nie jest użytkowany zaleca się przechowywanie go w suchym pomieszczeniu.

Produkt należy czyścić łagodnymi środkami czystości, nie szorować.

Każdorazowo przed użytkowaniem należy upewnić się że wszystkie elementy są poprawnie zamontowane, a śruby są dokręcone.



Warning!



For your safety, please do not violently dunk or hang from the basketball hoop.

Installation Reminder:


- * For the sake of safety and saving your valuable time, please read this instruction carefully before installing, balancing, displaying and disassembling the basketball stand. Before installation, all accessories in the package must be checked to master the installation steps and details.
- * This product requires at least 2 adult mounts. Please prepare 2 movable paddles.
- * If you have any problems with installation and use, please contact the after-sales staff at any time. We will provide you with help in time to reduce your trouble or damage to the product!

Parts catalog


Part number	Name and specification of parts	quantity	Part role
A	Plastic screw cooking	1	Fixed upper pipe (W) and middle pipe (Y)
B1,B2,B3	screws, M6 x35 MM	4	Connecting hoop (1), backboard (K) and upper tube (W)
C1,C2,C3	screws, M8 x20 MM	2	connected diagonal member (L1) (L2) on the base (S)
D1,D2,D3	screws, M8 x55 MM	3	Connect the lower pipe (Y) and the middle pipe (X), connect the middle pipe (X) and the upper pipe (W)
E1,E2,E3	screws, M8 x60 MM	1	Connect the lower tube (Y) and the oblique tie rod (L1)(L2)
G	The wheel	2	
H	Base water cover	1	
I	Ring	1	
J	NET	1	
K	Rebounds	1	
L1	Right slanting rod	1	
L2	Left slanting rod	1	
M	Wheel pin	1	
N	Waterproof cover	1	
W	Upper tube	1	
X	In tube	1	
Y	The tube	1	
S	Base	1	
O	Allen wrench	1	
P	Wrench	2	



K




I




J



L1




L2



M




W



X



Y



N




G





H




S








As shown in the picture, use the wheel pin (M) to insert the wheel (G), bottom (S), bottom tube (Y), so that the edges are connected.

As is shown in






As shown in the figure, Use bolt set (E1).(E2)-(E3) as shown in the mouth diagram, One end of each oblique tie rod (L1) and (L2) is connected to the lower tube (Y)




As shown in the picture, the use of bolt group (C1), (C2), (C3) will be the lower end of the inclined rod (L1) (L2), connected to the base (S).
Tighten the screw.

K



As shown in the figure, four screws were used to connect the basket (1) and the board (K) with the basket (1) and the board (W) through the figure(B1), (B2), (B3).



Put a cover (N) on top of tube (W), to prevent rain water from getting inside.




As shown in the picture, install the tube (W) and insert it into the middle rod (X), adjust it to the desired height, then use 1 screw set (D1), (D2), (D3), and then use the plastic knob (A) to stabilize the upper tube (1W), so that the basketball stand is installed.

Note: To adjust the height, remove the screw set (D) and loosen the plastic knob (A) to adjust the height.

Install the net (J) on the rim (I) as shown in the figure.





Fill the base (S) with water or fine sand to keep the basketball stand stable.

Do not use the basket for aggressive dunks, do not hang from the hoop.

Do not climb on the basket. Children near the basket should be under the supervision of an adult.

The basket should only be used after the base has been weighed down with water or sand.

Product for external use. To extend the life of the product, when not in use, it is recommended to store it in a dry place.

The product should be cleaned with mild detergents, do not scrub.

Each time before use, make sure that all elements are correctly mounted and the screws are tightened.

